



CONFORTEX®

WEATHER-STRIPPING




WEATHER-STRIPPING

CONFORTEX®

SELF-ADHESIVE DOOR BOTTOM FOAM SEAL


Material: PVC
Length: 100cm
Can be cut
Height : 38mm



REF	DENOMINATION	COLOR	DIMENSION	ORDER UNIT	EAN
104-010001-02	Door to floor with flexible adhesive	White	100 cm	12	5412828104016
104-010002-02	Door to floor with flexible adhesive	Brown	100 cm	12	5412828104023
104-010006-02	Door to floor with flexible adhesive	Black	100 cm	12	5412828104061

TRANSPARENT INSULATION STRIP


Compressed thermoplastic
Cut to desired length
Multifunction
Height : 35mm



REF	DENOMINATION	COLOR	DIMENSION	ORDER UNIT	EAN
104-053800-02	Joint d'isolation	Transparent	5 M	12	5412828104504

SELF-ADHESIVE DOOR BOTTOM SEAL WITH A TRANSPARENT LIP

Material: PVC profile + transparent PVC lip
PVC profile with a high-quality double-sided PE bi-adhesive foam tape, 1 mm thick.
Can be used on floors with uneven surface.
Height : 48mm



REF	DENOMINATION	COLOR	DIMENSION	ORDER UNIT	EAN
106-010001-02	Door to floor with sweep transparent	White	100 cm	12	5412828106010
106-010002-02	Door to floor with sweep transparent	Brown	100 cm	12	5412828106027
106-010900-02	Door to floor with sweep transparent	Transparent	100 cm	12	5412828106003

WEATHER-STRIPPING

CONFORTEX®

DOOR BOTTOM SEAL WITH BRUSH + SCREWS

Screws are included in the package.
Can be used on floor with uneven surface.

Material: PVC
Can be cut.
Height : 48mm




REF	DENOMINATION	COLOR	DIMENSION	ORDER UNIT	EAN
108-010101-02	Door to floor with brush + screws	White	100 cm	12	5412828108113
108-010102-02	Door to floor with brush + screws	Brown	100 cm	12	5412828108120

SELF-ADHESIVE DOOR BOTTOM SEAL WITH BRUSH

PVC profile with a high-quality double-sided PE bi-adhesive foam tape, 1 mm thick.
Can be used on floor with uneven surface.

Material PVC
Can be cut
Height : 48mm



REF	DENOMINATION	COLOR	DIMENSION	ORDER UNIT	EAN
108-010001-02	Door to floor with brush	White	100 cm	12	5412828108014
108-010002-02	Door to floor with brush	Brown	100 cm	12	5412828108021
108-010007-02	Door to floor with brush	Grey	100 cm	12	5412828108076

SELF-ADHESIVE DOOR BOTTOM SEAL WITH EXCLUDER

Self-adhesive PVC door bottom seal in cloth filled with PU Foam.
PVC profile with a high-quality double-sided PE adhesive foam tape, 1 mm thick.
Can be used on floor with uneven surface.

Material: PVC profile + PU foam
Can be cut
Height : 50mm



REF	DENOMINATION	COLOR	DIMENSION	ORDER UNIT	EAN
114-010001-02	Door to floor with roll	White	100 cm	12	5412828114015
114-010002-02	Door to floor with roll	Brown	100 cm	12	5412828114022
114-010007-02	Door to floor with roll	Grey	100 cm	12	5412828114077

WEATHER-STRIPPING

CONFORTEX®

SELF-ADHESIVE ALUMINUM DOOR BOTTOM SEAL WITH A FLEXIBLE BRUSH


Self-adhesive Aluminum door bottom seal with a PP flexible brush.

Aluminum profile with a high-quality double-sided PE adhesive foam tape, 1 mm thick.

Can be used on floors with uneven surface.

Material: Aluminum + PP brush


Height : 42mm



REF	DENOMINATION	COLOR	DIMENSION	ORDER UNIT	EAN
112-010001-02	Door to floor with flexible brush	White	100 cm	12	5412828112011
112-010002-02	Door to floor with flexible brush	Brown	100 cm	12	5412828112028
112-010007-02	Door to floor with flexible brush	Grey	100 cm	12	5412828112073

ASSORTMENT DOOR TO FLOOR

Adhesive PVC profile, white or brown



REF	DENOMINATION	COLOR	DIMENSION	PC/CARDBOARD	EAN
106-010001-02	Door to floor with sweep	White	100 cm	16	5412828106010
106-010002-02	Door to floor with sweep	Brown	100 cm	23	5412828106027
108-010001-02	Door to floor with brush	White	100 cm	16	5412828108014
108-010002-02	Door to floor with brush	Brown	100 cm	23	5412828108021
112-010001-02	Door to floor retractable	White	100 cm	12	5412828112011
112-010002-02	Door to floor retractable	Brown	100 cm	12	5412828112028
114-010001-02	Door to floor with roll	White	100 cm	12	5412828114015
114-010002-02	Door to floor with rol	Brown	100 cm	16	5412828114022
119-010130-12	Show box Door to floor	/	1/8 palette	1BOX (=130 PC)	5412828119027

WEATHER-STRIPPING

CONFORTEX®

« ISOLUX» DOUBLE DRAFT DOOR SEAL

To slide under the door

No tool, no glue needed

Material: Two Polyethylene foam rolls coated with a PVC foil.

Can be cut

Color: Brown

Length: 95 cm

Height : 30mm



REF	DENOMINATION	COLOR	DIMENSION	PC/CARDBOARD	EAN
117-013002-02	ISOLUX	Brown	95 cm Ø 3 cm	12	5412828117023
117-013002-12	Show box ISOLUX	Brown	95 cm Ø 3 cm	1 BOX(=48 pc)	5412828117481

REFIX" DRAFT DOOR SEAL

No tool, no glue needed

Material: Polyethylene foam roll coated with high-quality sewed polyester Oxford cloth.



The hook and loop fixture allows you to fix it and take it away as many times as you want.

Color Brown & Grey

Can be cut on 10 cm

Length: 93 cm

Height : 80mm



REF	DENOMINATION	COLOR	DIMENSION	PC/CARDBOARD	EAN
118-003802-02	REFIX	Brown	93 cm Ø 3 cm	12	5412828118020
118-003807-02	REFIX	Grey	93 cm Ø 3 cm	12	5412828118075
118-003827-12	Show box REFIX	20 Grey / 20 Brown	93 cm Ø 3 cm	1BOX(=40 PC)	5412828118426

« COOL STOP » DOUBLE DRAFT DOOR SEAL

To slide under the door

No tool, no glue needed

Material: Two Polyethylene foam rolls coated with high quality polyester foam.

Can be cut

Color Grey



REF	DENOMINATION	COLOR	DIMENSION	PC/CARDBOARD	EAN
116-013007-02	Cool stop	Grey	95 cm Ø 3 cm		5412828116071
116-013007-02	Show box COOL STOP	Grey	95 cm Ø 3 cm	1BOX(=24 PC)	5412828116071

« COOL STOP » DOUBLE DRAFT DOOR SEAL


To slide under the door

No tool, no glue needed

Material: Two Polyethylene foam rolls coated with high quality polyester foam.

Can be cut

Color White



REF	DENOMINATION	COLOR	DIMENSION	PC/CARDBOARD	EAN
116-013001-02	Cool stop	White	95 cm Ø 3 cm		5412828116019
116-013001-12	Show box COOL STOP	White	95 cm Ø 3 cm	1BOX(=24 PC)	5412828116217

« COOL STOP » DOUBLE DRAFT DOOR SEAL


To slide under the door

No tool, no glue needed

Material: Two Polyethylene foam rolls coated with high quality polyester foam.

Can be cut

Color Brown & Black



REF	DENOMINATION	COLOR	DIMENSION	PC/CARDBOARD	EAN
116-013002-02	Cool stop	Brown	95 cm Ø 3 cm		5412828116026
116-013006-02	Cool stop	Black	95 cm Ø 3 cm		5412828116064
116-013026-12	Show box COOL STOP	12 Brown / 12 Black	95 cm Ø 3 cm	1BOX(=24 PC)	5412828116262


« MAGNETO » MAGNETIC DOOR DRAFT SEAL

Material: Polyester fiber coated with high-quality cotton/polyester cloth.

2 Adhesive metal plates and 2 magnets are provided to easily fix the draft seal on the door.

The magnetic fixture allows you to fix it and take it away as many times as you want.

Length 80 cm or 90 cm



REF	DENOMINATION	COLOR	DIMENSION	PC/CARDBOARD	EAN
105-806003-02	Magneto	Natural	80 cm	6	5412828105839
105-806006-02	Magneto	Anthracite	80 cm	6	5412828105860
105-806027-02	Magneto	Grey	80 cm	6	5412828105587
105-906003-02	Magneto	Natural	90 cm	6	5412828105938
105-906006-02	Magneto	Anthracite	90 cm	6	5412828105969
105-906027-02	Magneto	Gey	90 cm	6	5412828105594
105-890367-12	Show box MAGNETO	8 x Natural / 8 x Grey/ 8 x Anthracite	12 x 80 / 12 x 90	1BOX (=24 PC)	5412828105891

« PLUSHY » DOUBLE DRAFT DOOR SEAL

To slide under the door

No tool, no glue needed

Material: Short fur polyester cloth filled with Polyester fibers

Length: 70cm or 80cm

Diameter: 55mm

Width: 45mm



REF	DENOMINATION	COLOR	DIMENSION	PC/CARDBOARD	EAN
105-705506-02	PLUSHY	Anthracite	70 cm	6	5412828105716
105-705507-02	PLUSHY	Grey	70 cm	6	5412828105709
105-805506-02	PLUSHY	Anthracite	80 cm	6	5412828105815
105-805507-02	PLUSHY	Grey	80 cm	6	5412828105808
105-708067-12	Show box PLUSHY	12 x Grey / 12 x Anthracite	12 x 70 / 12 x 80	1BOX (=24 PC)	5412828105761

DOOR TO FLOOR HOOK ROLL

100% cotton canvas fabric cover, polyester fiber padding.

Equipped with a buttonhole 15cm from each edge, and supplied with two adhesive hooks,

assorted colors

Length: 80 cm

Height : 55mm



REF	DENOMINATION	COLOR	DIMENSION	PC/CARDBOARD	EAN
105-318002-02	HOOK & ROLL	Brown	80 cm	6	5412828105129
105-318007-02	HOOK & ROLL	Grey	80 cm	6	5412828105174
105-318024-12	Show box HOOK & ROLL	12 x Brown / 12 x Grey	80 cm	1BOX (=24 PC)	5412828105273

WEATHER-STRIPPING

CONFORTEX®

WINDOWS INSULATION FILM

Thermo-retractable plastic Film

Provides a thin air layer isolating like a double glazing

Easy to place, discreet, solid.

To apply on all types of frame

Reduces the condensation on the simple glass.

Sizes: 5mx1,5m + 25m double-sided transparent tape.

Unit packing: 4 color printed box



REF	DENOMINATION	COLOR	DIMENSION	ORDER UNIT	EAN
185-051500-02	Film for Glass	transparent	5 m x 1,5 m	12	5412828185053

RADIATOR FOIL

Reflects 90% of the heat

Polyethylene foam covered with an aluminum foil

Thickness: 2mm



REF	DENOMINATION	COLOR	DIMENSION	ORDER UNIT	EAN
145-025007-02	Radiator foil	Alu	250 cm x 50 cm	8	5412828145255
145-025007-12	SHOW BOX Radiator foil	Alu	250 cm x 50 cm	1BOX (=56 PC)	5412828145569
145-057007-02	Radiator foil	Alu	500 cm x 70 cm		5412828145576
145-057007-12	SHOW BOX Radiator foil	Alu	500 cm x 70 cm	1BOX (=9 PC)	5412828145798

BRUSH PILE

Brush Pile Strip for sliding doors, windows, and cupboards.

Antistatic, isophone, adhesive strip.



REF	DENOMINATION	COLOR	DIMENSION	ORDER UNIT	EAN
17006670702	Brush pile	Grey	6 M x 7mm x 6 mm	10	5412828170073

WEATHER-STRIPPING

CONFORTEX®

WINDOWS AND DOOR SEAL

EPDM self-adhesive seal

Universal Weather-stripping from 2 to 3,5mm

Weather-stripping for regular cracks

3 contact points ensuring a perfect seal

Unit packing: 4 color printed box



REF	DENOMINATION	COLOR	DIMENSION	ORDER UNIT	EAN
150-063201-02	E – Universal Weatherstripping from 2 to 3,5mm	White	6 m (2 x 3 m)	6	5412828150013
150-063202-02	E – Universal Weatherstripping from 2 to 3,5mm	Brown	6 m (2 x 3 m)	6	5412828150020
150-183201-02	E – Universal Weatherstripping from 2 to 3,5mm	White	18 m (6 x 3 m)	3	5412828150310
150-183202-02	E – Universal Weatherstripping from 2 to 3,5mm	Brown	18 m (6 x 3 m)	3	5412828150327

WINDOWS AND DOOR SEAL

EPDM adhesive seal

Universal Weather-stripping from 2 to 4,5mm

Weather-stripping for irregular cracks

One point of contact

The ovoid shape compensates the irregularities of the crack between the frame and the sash

Unit packing: 4 color printed box



REF	DENOMINATION	COLOR	DIMENSION	ORDER UNIT	EAN
151-064201-02	D – Universal Weatherstripping from 2 to 4,5mm	White	6 m (2 x 3 m)	6	5412828151010
151-064202-02	D – Universal Weatherstripping from 2 to 4,5mm	Brown	6 m (2 x 3 m)	6	5412828151027
151-184201-02	D – Universal Weatherstripping from 2 to 4,5mm	White	18 m (6 x 3 m)	3	5412828151317
151-184202-02	D – Universal Weatherstripping from 2 to 4,5mm	Brown	18 m (6 x 3 m)	3	5412828151324

WINDOWS AND DOOR SEAL

EPDM self-adhesive seal

Universal weather-stripping from 2,5 to 4mm

Weather-stripping for irregular spaces

The commitment between the fulfillments of the regular crack and two contact points allows a superior seal

Unit packing: 4 color printed box




REF	DENOMINATION	COLOR	DIMENSION	ORDER UNIT	EAN
152-064201-02	P – Universal Weatherstripping from 2,5 to 4mm	White	6 m (2 x 3 m)	6	5412828152017
152-064202-02	P – Universal Weatherstripping from 2,5 to 4mm	Brown	6 m (2 x 3 m)	6	5412828152024
152-184201-02	P – Universal Weatherstripping from 2,5 to 4mm	White	18 m (6 x 3 m)	3	5412828152314
152-184202-02	P – Universal Weatherstripping from 2,5 to 4mm	Brown	18 m (6 x 3 m)	3	5412828152321

WEATHER-STRIPPING

CONFORTEX®

ASSORTIMENT JOINT ADHÉSIF EPDM



REF	DENOMINATION	COLOR	DIMENSION	ORDER UNIT	EAN
150-063201-02	Joint for windows and doors E	White	6 m (2 x 3 m)	6	5411828150013
150-063202-02	Joint for windows and doors E	Brown	6 m (2 x 3 m)	12	5411828150020
151-064201-02	Joint for windows and doors D	White	6 m (2 x 3 m)	6	5411828151010
151-064202-02	Joint for windows and doors D	Brown	6 m (2 x 3 m)	12	5411828151027
152-064201-02	Joint for windows and doors P	White	6 m (2 x 3 m)	6	5411828152017
152-064202-02	Joint for windows and doors P	Brown	6 m (2 x 3 m)	12	541182815224
159-0643354-02	Counter display 54 pc	/	6 m (2 x 3 m)	1	5411828159542

WINDOWS AND DOOR SEAL

PP Thermoplastic self-adhesive seal

Universal Weather-stripping from 1,5 to 5mm

Weather-stripping for irregular spaces

One contact point

The shape compensates the irregularities of the cracks between the frame and the sash

UV Resistant and Weatherproof

Unit packing: 4 color printed box



REF	DENOMINATION	COLOR	DIMENSION	ORDER UNIT	EAN
155-067200-02	O – Universal Weatherstripping from 1,5 to 5mm	Transparent	6 m (2 x 3 m)	6	5412828155001

WINDOWS AND DOOR SEAL

Self-adhesive PVC seal

Weather-stripping for major cracks

Universal Weather-stripping from 1 to 4mm

Unit packing: 4 color printed box



REF	DENOMINATION	COLOR	DIMENSION	ORDER UNIT	EAN
139-064201-02	Joint in PVC	White	6 m (2 x 3 m)	6	5412828139018
139-064202-02	Joint in PVC	Brown	6 m (2 x 3 m)	6	5412828139025
139-184201-02	Joint in PVC	White	18 m (6 x 3 m)	3	5412828139315
139-184202-02	Joint in PVC	Brown	18 m (6 x 3 m)	3	5412828139322

WEATHER-STRIPPING

CONFORTEX®

WINDOWS AND DOOR SEAL


Self-adhesive Polyurethane foam
Unit packing: printed polybag



REF	DENOMINATION	COLOR	DIMENSION	ORDER UNIT	EAN
120-106301-02	Polyurethane foam	White	10 m 6 x 12 mm	40	5412828120139
120-106601-02	Polyurethane foam	White	10 m 6 x 19 mm	25	5412828120160
120-106701-02	Polyurethane foam	White	10 m 6 x 25 mm	20	5412828120177

PIPE INSULATOR

Insulating foam Tape for pipes and taps
Suitable for indoor and outdoor
Self-adhesive
Ensures fast and reliable installation
The adhesive is provided with a frame that avoids the deformation of the product
Unit packing: Polybag + 4 color printed insert



REF	DENOMINATION	COLOR	DIMENSION	ORDER UNIT	EAN
148-052006-02	Isolating Mousse	Black	5 m x 20 mm x 5 mm	6	5412828148058

GARAGE SEAL

Self-adhesive strip polyurethane
Size : 3M25 x 2 rdl.



REF	DENOMINATION	color	DIMENSION	ORDER UNIT	EAN
12506170602	garage seal	Black	6M50 17x17mm	17	5412828125066

WALL CRACK FILLER

For the filling the crack between the brickwork and the frame (doors, windows, etc.)
For outdoor use, it is recommended to fill cracks with putty, caulk or silicone.
Unit packing: polybag + header



REF	DENOMINATION	COLOR	DIMENSION	ORDER UNIT	EAN
141-050207-02	Filling Joint	Grey	5 m Ø 10 mm	5	5412828141417
141-050407-02	Filling Joint	Grey	5 m Ø 15 mm	5	5412828141424
141-020607-02	Filling Joint	Grey	2,50 m Ø 20 mm	5	5412828141233

WEATHER-STRIPPING

CONFORTEX®

OUR PACKAGING



- Varnished carton resists to dirt
- Text in 8 languages
(FR / NL / UK / DE / DP / PT / IT / PL)
- Clearly explained images with live situation
- NEW DESIGN
- Clearly indicated lifetime
- Large Eurohole suits to all kinds of hook
- Clearly explained user's manual
- Download link to our website for detailed user's manual, thanks QR-code





13 rue du bois de la Hutte - Garocentre Sud
B-7110 HOUDENG GOEGNIES Belgium
Tél + 32(0)64/23 83 80